


BODEN BLOCK

VILLAGES HAVING EXCESS FLUORIDE IN DRINKING WATER ●

INDEX OF PRESENCE OF FLUORIDE:

- 1-00 to 1.49 mg/ltr.
- 1.50 to 2.99 mg/ltr.
- 3.00 to 4.99 mg/ltr.
- 5.00 mg and above/ltr.




CHHATISH GARH

KOMNA BLOCK

KHARIAR BLOCK


SINAPALI BLOCK



KHARIAR BLOCK

VILLAGES HAVING EXCESS FLUORIDE IN DRINKING WATER ●

- INDEX OF PRESENCE OF FLUORIDE: S
- 1.00 to 1.49 mg/ltr.
 - 1.50 to 2.99 mg/ltr.
 - 3.00 to 4.99 mg/ltr.
 - 5.00 mg and above/ltr.




KHARIAR BLOCK

VILLAGES HAVING EXCESS FLUORIDE IN DRINKING WATER ●

INDEX OF PRESENCE OF FLUORIDE:-
1.00 to 1.49 mg/ltr.
1.50 to 2.99 mg/ltr.
3.00 to 4.99 mg/ltr.
5.00 mg and above/ltr.






SINAPAPALI BLOCK

VILLAGES HAVING EXCESS FLUORIDE IN DRINKING WATER

- INDEX :
- 1.00 to 1.49 Mg/Ltr.
 - 1.50 to 2.99 Mg/Ltr.
 - 3.00 to 4.99 Mg/Ltr.
 - 5.00 to 9.99 Mg/Ltr.

CONCENTRATION OF FLUORIDE IN TUBEWELLS OF NUAPADA DISTRICT



SAHABHAGI VIKASH ABHIYAN,
BILENTORE, DIST. NUAPADA
25-10-2006

INDEX

	DISTRICT/BLOCK BOUNDARY
	VILLAGE BOUNDARY
	BLOCK HEADQUARTER
	FLUORIDE CONCENT - 1.5mg/l - 1.99mg/l
	FLUORIDE CONCENT